

---

# Product Specification

**Product Name :** LED Magnetic Machine Light

**Model No. :** LED-M3M Series

---



**1. Image and drawing:**




Wire output hole



**2. Spec Data:**

Mode No.	Input Volt	Output Volt	CCT
<input type="checkbox"/> LED-M3M-B1	AC/DC 24V	AC/DC 24±2V	5500-6000K
<input type="checkbox"/> LED-M3M -B2	AC/DC 24V	AC/DC 24±2V	4000-4500K
<input type="checkbox"/> LED-M3M -C1	AC220V (50/60Hz)	AC100-240V (50/60Hz)	5500-6000K
<input type="checkbox"/> LED-M3M -C2	AC220V (50/60Hz)	AC100-240V (50/60Hz)	4000-4500K
<b>Length of Cable</b>	<input checked="" type="checkbox"/> About 0.8M(Standard) no plug fitted <input type="checkbox"/> _____		
<b>Mounting Method</b>	Magnet base		
<b>Consumed Power</b>	4.5W		
<b>Input Current</b>	(24V) 190mA / (220V) 20mA		
<b>Flux</b>	320Lm		
<b>Life span</b>	50 000H	<b>Protection Level</b>	IP63
<b>Luminous Efficiency</b>	72Lm/W	<b>CRI</b>	70Ra
<b>Driver</b>	Isolated	<b>View Angle</b>	60°
<b>Surface temperature</b>	< 60°C		

### 3. Average Luminance:



### 4. Photometric Data:



---

## 5. Package Data:

<b>Packing material</b>	<b>Carton Box</b>
Model Name (MM)	500
Net Weight / Pc (Kg)	1.52
Gross Weight / Cnt (Kg)	15.6
Packing Qty (PCS)	9
Inner box size (L*W*H) mm	510*90*75
Outer box size (L*W*H) mm	580*285*233

